




$\pm .005$ [± 0.15]
.125 [3.18] DIA.
HOLE (2) PLS

DATE	DESCRIPTION	REV.
3.11.03	CHANGE AS PER ECN 03-022	A
6.24.10	CHANGE AS PER ECN 10-046	B
3.07.22	CHANGE AS PER ECN 22-045 ADD NOTE #3	C



- NOTE:
1. BASE:
MATL: PBT, BLACK UL 94V-0.
 2. CONTACT:
MATL: .012 [0.30] THK STAINLESS STEEL.
FINISH: TIN NICKEL PLATE.
 3. SPECIAL PACKAGING:
PART SUPPLIED ON TRAY, 50 PCS PER TRAY



THIS DOCUMENT IS THE PROPERTY OF
KEYSTONE ELECTRONICS CORP. AND
SHALL NOT BE REPRODUCED, DISTRIBUTED
OR USED AS A BASIS FOR MANUFACTURE
WITHOUT PRIOR WRITTEN PERMISSION
FROM KEYSTONE ELECTRONICS CORP.

KEYSTONE ELECTRONICS CORP. www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500			
PART NAME PC BATTERY HOLDER , AA			
MATERIAL AS NOTED			
FINISH AS NOTED		DRN BY BOONE	DATE 9.30.96
TOLERANCES DECIMAL $\pm .010$ [± 0.25] ANGULAR $\pm 1^\circ$		CODE C	DWG NO. 1028
		Appd RH	SCALE 2X